

MSBH SINGLE BAG FILTER HOUSING



MEY's MSBH single bag filter stainless steel housing with heavy duty design ,apply for general commercial and industrial liquid applications.The cost effective stainless steel concave casting cover provide a better sealing environment and easy to open the top cover and replacement the filter bags.

Typical Application:

- Water treatment
- Municipal Water Treatment
- Industrial Water Treatment
- Pulp and Paper
- Pharmaceutical
- Lubricants, Metalworking Fluids
- Solvents
- Food and Beverage
- Chemical Processing
- Paints, Inks, Resins and Coatings
- Electronics
- Petrochemicals

Filter Specifications:

No.of Filter Bags _____

1

Filter Bags Sizes _____

01: Size 01

02: Size 02

Housing Diameter _____

8"

Housing Material _____

SS304, SS316L, CARBON STEEL

Seal Material _____

Buna N

Inlet & Outlet _____

DIN / ANSI / BSP / NPT


Max. Operating Temperature _____

150 °C

Max. Operating Pressure _____

10Bar (150PSI)

■ *MSBH*



Dimensions

Dimensions	Size 01	Size 02
A(Housing height)	666mm(26.2")	1060mm(41.7")
B(Inlet and outlet distance)	541mm(21.3")	935mm(36.8")
C(Diameter)	219mm(8.6")	219mm(8.6")

Specifications

Specifications	Size 02 & Size 01
Max.Operating pressure(Bar)	10
Max.Operating Temperature(°C)	120
Filter Area(sq.ft)	5.6/2.8
Filter Volume(gal)	99/56.3
Max.Flow(m ³ /h)	40/20
Standard Inlet/Outlet	2" Threaded
Vent Ports	1/4"Female
Material of Construction	SUS304/316L
Seal Meaterial	BUNA-N

Order Information

Model	Diameter	No. of Filter Bags	Filter bag size	Material	INLET/OUTLET SIZE	INLET/OUTLET CONNECTION	TOP CLOSURE	Surface Finish
MSBH	7	-01	-02	SS304	1"	NPT	SW	PC
MSBH	8=8"	01	01=size #1 02=Size#2	SS304 SS316L	1" 1.5"	NPT BSP TC=Tri-Clamp RF=FLANGE	SW=SWING BOLT	PC=Poly coat GB=Glass bead EP=Electropolish



Mey Membrane Technology Co.,Ltd
 Add.:Fuyang district, Hangzhou
 Tel.:0571-63465770